

Gene changes in acute myeloid leukaemia (AML)

People with AML have genetic changes in their leukaemia cells. These genetic changes stop the cells working as they should, leading to abnormal cell growth and cancer. Knowing exactly what genetic changes are in your leukaemia cells can help your haematology team work out the best treatments for you.

Video: <https://www.youtube.com/watch?v=tqkqkRbU4Jk>

[Download our booklet on gene changes in AML](#) 

[Download our factsheet on gene changes in AML](#) 

[Download our factsheet on AML genetics for family members](#) 


Genes and cancer

Certain genes tell our cells how and when to grow. If there are changes that stop these genes working properly, the cells can become abnormal and grow out of control. This leads to a cancer.

People with acute myeloid leukaemia (AML) have genetic changes in their leukaemia cells. These genetic changes stop the cells working as they should, leading to abnormal cell growth and cancer. Genetic changes can affect either individual genes or whole chromosomes. Changes can affect more than one gene.



A gene is a section of DNA that tells your cells how to make a protein.



Chromosomes are long, coiled strands of DNA that contain lots of different genes.

[Back to top](#)

Why genetic changes happen

Most of the genetic changes in the cancer cells of people with AML occur by chance. These genetic changes happen during your lifetime. You do not inherit them from your

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/gene-changes-in-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

parents, and you cannot pass them on to any children. They are not due to anything you have done.

Less commonly, some people with AML have genetic changes they inherited from their parents. These changes can be passed on to children. AML due to inherited genetic changes is called familial AML.

People with familial AML do not inherit AML directly. They inherit a changed gene that can increase their chance of getting it in the future. It does not mean they will definitely get AML. It means they may develop AML later in life.

[Back to top](#)

Importance of genetic changes

Different genetic changes can make your leukaemia cells behave differently.

Knowing the genetic changes you have can help your haematology team work out the best treatments for you. It can also help them predict how well your AML is likely to respond to treatment.

To find out what genetic changes you have in your leukaemia cells, your haematologist should send your blood or bone marrow samples for testing. The results can be complicated and use a lot of technical terms. Your haematology team will talk to you about what your results mean.

[Back to top](#)

If you have an inherited genetic change

If your initial test results show that you might have an inherited gene change, your haematologist may recommend more tests to confirm this. This usually involves taking a small sample of your skin.

- If the extra tests show your genetic change is inherited, other close members of your family might also have it. This means they may have a higher chance of

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/gene-changes-in-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

getting AML than people without the genetic change. It does not mean they will definitely get AML.

- You should be offered genetic counselling to learn more about what this means for you and your family.
- You may be advised to tell close family members such as parents, adult children, brothers and sisters. They should also be offered genetic counselling to help them decide if they want to be tested for the genetic change.

[Back to top](#)

Sources we used to develop this information

Askin-Celik T, Dey S, editors. Chromosomal abnormalities. IntechOpen; 2020. Available from: <http://dx.doi.org/10.5772/intechopen.77904>

Dohner H, Wei AH, Appelbaum FR, Craddock C, DiNardo CD, Dombret H, et al. Diagnosis and management of AML in adults: 2022 recommendations from an international expert panel on behalf of the ELN. *Blood* 2022;140(12):1345-1377.

Institute for Quality and Efficiency in Health Care. What does genetic testing involve? InformedHealth.org 2019. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK367582/>.

Issa GC, DiNardo CD. Acute myeloid leukemia with IDH1 and IDH2 mutations: 2021 treatment algorithm. *Blood Cancer J* 2021;11(6):107.

Homan CC, Scott HS, Brown AL. Hereditary platelet disorders associated with germ line variants in RUNX1, ETV6, and ANKRD26. *Blood* 2023;141(13):1533-1543.

Kim K, Ong F, Sasaki K. Current Understanding of DDX41 Mutations in Myeloid Neoplasms. *Cancers (Basel)* 2023;15(2):344.

Kotmayer L, Romero-Moya D, Marin-Bejar O, Kozyra E, Catala A, Bigas A, et al. GATA2 deficiency and MDS/AML: Experimental strategies for disease modelling and future therapeutic prospects. *Br J Haematol* 2022;199(4):482-495.

Lagunas-Rangel FA, Chavez-Valencia V, Gomez-Guijosa MA, Cortes-Penagos C. Acute myeloid leukemia—genetic alterations and their clinical prognosis. *International journal of hematology-oncology and stem cell research*. 2017 Oct 10;11(4):328.

Lv L, Yu J, Qi Z. Acute myeloid leukemia with inv(16)(p13.1q22) and deletion of the 5'MYH11/3'CBFB gene fusion: a report of two cases and literature review. *Mol Cytogenet* 2020;13:4.

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/gene-changes-in-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

Mehta P, Telford N, Wragg C, Dillon R, Freeman S, Finnegan D, et al. Recommendations for laboratory testing of UK patients with acute myeloid leukaemia. *Br J Haematol* 2023;200(2):150-159.

Nickels EM, Soodalter J, Churpek JE, Godley LA. Recognising familial myeloid leukemia in adults. *Ther Adv Hematol* 2013;4(4):254-269.

Speight B, Hanson H, Turnbull C, Hardy S, Drummond J, Khorashad J, et al. Germline predisposition to haematological malignancies: Best practice consensus guidelines from the UK Cancer Genetics Group (UKCGG), CanGene-CanVar and the NHS England Haematological Oncology Working Group. *Br J Haematol* 2023;201(1):25-34.

Yang L, Rau R, Goodell MA. DNMT3A in haematological malignancies. *Nat Rev Cancer* 2015;15(3):152-165.

Yang F, Long N, Anekpuritanang T, Bottomly D, Savage JC, Lee T, et al. Identification and prioritization of myeloid malignancy germline variants in a large cohort of adult patients with AML. *Blood* 2022;139(8):1208-1221.

Yu J, Li Y, Zhang D, Wan D, Jiang Z. Clinical implications of recurrent gene mutations in acute myeloid leukemia. *Exp Hematol Oncol* 2020;9:4.

Financial support was provided as an Independent Medical Education Grant from Pfizer Limited. In accordance with our policies, Pfizer had no editorial input into the content.

Need support?

You are not alone. We're here for you whether you have a diagnosis yourself or know someone who has. If you'd like advice, support, or a listening ear, call our freephone helpline on 08088 010 444 or send a WhatsApp message to 07500 068 065.

[Talk to us →](#)

Help us improve our information

We aim to provide information that's reliable, up-to-date, and covers what matters to you. Please complete our short survey to help us improve our information and make sure it meets your needs.

[Complete our short survey →](#)

About our information

This information is aimed at people in the UK. We do our best to make sure it is accurate and up to date but it should not replace advice from your health professional. Find out more [about our information](#).

Page last reviewed: 31 January 2024

Updated January 2026

Next review due: 31 January 2027