

# Treatment for acute myeloid leukaemia (AML)

Acute myeloid leukaemia (AML) is a fast-growing blood cancer. Find out about intensive and non-intensive treatment options for AML, including chemotherapy, targeted medicines and stem cell transplants.

## Summary

- There are many different treatment options for AML. They can either be intensive or non-intensive.
  - Intensive treatment aims to get AML into remission. It involves chemotherapy, sometimes with a targeted medicine. Some people might have a stem cell transplant.
  - Non-intensive treatment is gentler. It aims to control your AML as much as possible rather than cure it. It usually involves low-dose chemotherapy or targeted medicines to take at home.
- You will also have treatment to prevent or relieve symptoms or side effects.
- Your haematology team will recommend what is best for you based on your individual needs.

[Download our factsheet about AML](#) 

[Order AML information in print](#) 

## Choosing the right treatment

Your medical team will recommend the most suitable treatment option for you based on many factors. These include:

- Your age and overall fitness
- Any other medical conditions you have
- Your subtype of AML
- The genetic changes in your leukaemia cells
- Your preference on how you wish to be treated

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/treatment-for-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

They will recommend either intensive or non-intensive treatment.

- **Intensive treatment** aims to get your AML into remission. Treatment happens in phases, with different treatments in each phase. You usually stay in hospital for some of them.
- **Non-intensive treatment** is gentler. It aims to control your AML as much as possible rather than cure it.

Your medical team may ask if you'd like to take part in a [clinical trial](#). They will let you know if there is one suitable for you.

**You have regular tests during your treatment. These check how well your AML is responding.**

[Back to top](#)

---

## Intensive treatment

Intensive treatment happens in phases. These are usually induction, consolidation and sometimes maintenance.

### Induction phase

Induction therapy aims to kill as many leukaemia cells as possible. The aim is to achieve complete remission. This is when bone marrow tests after treatment find little or no leukaemia cells left.

Induction therapy usually involves having chemotherapy. You might also have a targeted treatment. This depends on the genetic changes in your leukaemia cells. You usually stay in hospital for a few weeks to have induction therapy.

Combinations of chemotherapy medicines your team might suggest include:

- [Daunorubicin + cytarabine](#) (also known as DA)
- [Liposomal daunorubicin + cytarabine](#) (also known as CPX-351 or Vyxeos)
- [Fludarabine, cytarabine, granulocyte-colony stimulating factor and idarubicin](#) (also known as FLAG-Ida)
- Chemotherapy combinations including a medicine called [mitoxantrone](#)

Targeted medicines you might have alongside chemotherapy include:

- [Gemtuzumab ozogamicin](#) (also known as GO)
- [Midostaurin](#)
- [Quizartinib](#)

Your medical team will let you know what they recommend for you and why.

At the end of your induction therapy, you will have a bone marrow test. This checks how well your leukaemia has responded to treatment.

- If your leukaemia has responded, you will move onto consolidation therapy.
- If not, you may have another cycle of induction therapy.

## Consolidation phase

Consolidation therapy aims to kill any leukaemia cells that may be left. This improves the chance that your AML will stay in remission.

Consolidation therapy usually involves having cycles of chemotherapy. You might also have a targeted treatment. This depends on the genetic changes in your leukaemia cells. You usually stay in hospital to have each cycle of treatment.

Common consolidation chemotherapy options include:

- [Liposomal daunorubicin + cytarabine](#) (also known as CPX-351 or Vyxeos)
- [High dose cytarabine](#) (also known as HiDAC)
- Chemotherapy combinations including a medicine called [mitoxantrone](#)

Targeted medicines you might have alongside consolidation chemotherapy include:

- [Gemtuzumab ozogamicin](#) (also known as GO)
- [Midostaurin](#)
- [Quizartinib](#)

Your medical team will let you know what they recommend for you and why.

## Stem cell transplant

If your AML has a medium or high risk of coming back, your team might suggest a [stem cell transplant](#).

A stem cell transplant involves having high-dose chemotherapy and sometimes radiotherapy. This kills the blood-forming cells in your bone marrow, called stem cells. These are replaced by healthy stem cells, usually from a matched donor.

A stem cell transplant is very intensive. It is only suitable for people who are fit enough to have it. Your team will let you know if it is an option for you.

Anthony Nolan is a UK charity that also has [further information on stem cell transplants](#).

## Maintenance phase

Maintenance therapy aims to reduce the risk of your AML coming back. Not everyone needs maintenance treatment. Your haematology team might recommend it if you have a higher chance of relapse. Relapse is when your AML comes back after treatment.

Maintenance therapy involves having chemotherapy or a targeted treatment. You usually have these treatments as tablets or capsules to take at home. You may need to take these long-term, usually for a year or longer.

Your medical team will let you know what they recommend for you and why. They might suggest:

- [Azacitidine tablets](#)
- [Midostaurin](#)
- [Quizartinib](#)

[Back to top](#)

---

## Non-intensive treatment

Your haematology team will assess whether intensive treatment is suitable for you. If they think you might not cope well with it, they might recommend other, gentler options.

This could be due to:

- Your age

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/treatment-for-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

- Your physical fitness
- Other health conditions you have

The aim of non-intensive treatment is to keep your AML under control with as few side effects as possible. This aims to reduce your symptoms and improve your quality of life. But it does not cure your AML.

Usually, you will have gentler or low-dose chemotherapy. You might also have a targeted medicine.

Your haematology team will let you know what they recommend for you and why. They might suggest:

- [Azacitidine injections](#)
- [Venetoclax and azacitidine](#)
- [Venetoclax and low-dose cytarabine](#)
- [Ivosidenib and azacitidine](#)
- [Hydroxycarbamide](#)
- [Low-dose cytarabine](#)

[Back to top](#)

---

## Supportive treatment

You might also need medicine to prevent or treat symptoms or side effects. This is called supportive care. It might include:

- Blood transfusions or medicines called growth factors. They can help if your blood counts are low.
- Anti-sickness or anti-diarrhoeal medicines.
- Pain relief, if you need it.
- Medicine to prevent or treat infections.
- Mouth washes to help with mouth ulcers, infections or a sore mouth.
- Food or drink supplements, if you are not able to eat or drink enough.
- Steroids, which help with many different symptoms and side effects.
- Physiotherapy.
- Emotional and social support.

[Back to top](#)

---

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/treatment-for-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

## What happens if treatment does not work?

There are many treatment options for AML. But not everyone responds to treatment. This is called [refractory AML](#).

If this happens to you, your haematology team will talk to you about your treatment options.

Depending on your individual circumstances, they might recommend:

- Chemotherapy
- A targeted medicine
- [A stem cell transplant](#)
- [Supportive care](#)

[Back to top](#)

### Sources we used to develop this information

Ali S, Jones GL, Culligan DJ, Marsden PJ, Russell N, Embleton ND, Craddock C, British Committee for Standards in Haematology. Guidelines for the diagnosis and management of acute myeloid leukaemia in pregnancy. *Br J Haematol*. 2015 Aug 1;170(4):487-95.

Dennis M, Copland M, Kaur H, Kell J, Nikolousis E, Mehta P, Palanicawandar R, Potter V, Raj K, Thomas I, Wilson A. Management of older patients with frailty and acute myeloid leukaemia: a British Society for Haematology good practice paper. *British Journal of Haematology*. 2022;199(2):205-21.

Desborough M, Estcourt LJ, Doree C, Trivella M, Hopewell S, Stanworth SJ, Murphy MF. Alternatives, and adjuncts, to prophylactic platelet transfusion for people with haematological malignancies undergoing intensive chemotherapy or stem cell transplantation. *Cochrane Database of Systematic Reviews*. 2016(8).

Deschler B, Lubbert M. Acute myeloid leukemia: epidemiology and etiology. *Cancer: Interdisciplinary International Journal of the American Cancer Society*. 2006 Nov 1;107(9):2099-107.

Dohner H, Estey EH, Amadori S, Appelbaum FR, Buchner T, Burnett AK, Dombret H, Fenaux P, Grimwade D, Larson RA, Lo-Coco F. Diagnosis and management of acute myeloid leukemia in adults: recommendations from an international expert panel, on behalf of the European LeukemiaNet. *Blood, The Journal of the American Society of Hematology*. 2010 Jan 21;115(3):453-74.

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/treatment-for-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

Dohner H, Wei AH, Appelbaum FR, Craddock C, DiNardo CD, Dombret H, Ebert BL, Fenaux P, Godley LA, Hasserjian RP, Larson RA. Diagnosis and management of AML in adults: 2022 recommendations from an international expert panel on behalf of the ELN. *Blood, The Journal of the American Society of Hematology*. 2022 Sep 22;140(12):1345-77.

Haematological Malignancy Research Network (HMRN). Statistics: Acute myeloid leukaemia. <https://hmrn.org/statistics/> [Accessed Jul 2024].

Heuser M, Freeman SD, Ossenkopp G, Buccisano F, Hourigan CS, Ngai LL, Tettero JM, Bachas C, Baer C, Bene MC, Bucklein V. 2021 Update on MRD in acute myeloid leukemia: a consensus document from the European LeukemiaNet MRD Working Party. *Blood, The Journal of the American Society of Hematology*. 2021 Dec 30;138(26):2753-67.

Heuser M, Ofran Y, Boissel N, Mauri SB, Craddock C, Janssen J, Wierzbowska A, Buske C. Acute myeloid leukaemia in adult patients: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Annals of Oncology*. 2020 Jun 1;31(6):697-712.

Hickey M, Basu P, Sassarini J, Stegmann ME, Weiderpass E, Chilowa KN, Yip CH, Partridge AH, Brennan DJ. Managing menopause after cancer. *The Lancet*. 2024 Mar 9;403(10430):984-96.

Lachowiec CA, Long N, Saultz J, Gandhi A, Newell LF, Hayes-Lattin B, Maziarz RT, Leonard J, Bottomly D, McWeeney S, Dunlap J. Comparison and validation of the 2022 European LeukemiaNet guidelines in acute myeloid leukemia. *Blood Advances*. 2023 May 9;7(9):1899-909.

Loke J, Lowe DM, Miller LJ, Morton S, Roy NB, Sekhar M, Stanworth SJ. Supportive care in the management of patients with acute myeloid leukaemia: where are the research needs?. *British Journal of Haematology*. 2020 May 7.

Lustberg MB, Kuderer NM, Desai A, Bergerot C, Lyman GH. Mitigating long-term and delayed adverse events associated with cancer treatment: implications for survivorship. *Nature Reviews Clinical Oncology*. 2023 Aug;20(8):527-42.

Mehta P, Telford N, Wragg C, Dillon R, Freeman S, Finnegan D, Hamblin A, Copland M, Knapper S. Recommendations for laboratory testing of UK patients with acute myeloid leukaemia. *British Journal of Haematology*. 2023 Jan;200(2):150-9.

Pelcovits A, Niroula R. Acute myeloid leukemia: a review. *Rhode Island medical journal*. 2020 Apr 1;103(3):38-40.

<https://lcdemo-stage.gb.aldryn.io/about-leukaemia/types/acute-myeloid-leukaemia-aml/treatment-for-acute-myeloid-leukaemia-aml/>

Leukaemia Care Registered Charity Number 1183890. Scotland Registered Charity Number SC049802

Helpline: [08088 010 444](tel:08088010444)

Risi GF, Tomascak V. Prevention of infection in the immunocompromised host. *American Journal of Infection Control*. 1998 Dec 1;26(6):594-606.

Sanz MA, Fenaux P, Tallman MS, Estey EH, Lowenberg B, Naoe T, Lengfelder E, Dohner H, Burnett AK, Chen SJ, Mathews V. Management of acute promyelocytic leukemia: updated recommendations from an expert panel of the European LeukemiaNet. *Blood*. 2019 Apr 11;133(15):1630-43.

Saraswat N, Chopra A, Sood A, Kamboj P, Kumar S. A descriptive study to analyze chemotherapy-induced hair loss and its psychosocial impact in adults: Our experience from a tertiary care hospital. *Indian Dermatology Online Journal*. 2019 Jul 1;10(4):426-30.

Sekeres MA, Guyatt G, Abel G, Alibhai S, Altman JK, Buckstein R, Choe H, Desai P, Erba H, Hourigan CS, LeBlanc TW. American Society of Hematology 2020 guidelines for treating newly diagnosed acute myeloid leukemia in older adults. *Blood Advances*. 2020 Aug 11;4(15):3528-49.

Shirley MH, Sayeed S, Barnes I, Finlayson A, Ali R. Incidence of haematological malignancies by ethnic group in England, 2001–7. *British Journal of Haematology*. 2013 Nov;163(4):465-77.

Sousa B, Furlanetto J, Hutka M, Gouveia P, Wuerstlein R, Mariz JM, Pinto D, Cardoso F. Central venous access in oncology: ESMO Clinical Practice Guidelines. *Annals of Oncology*. 2015 Sep 1;26:v152-68.

Stubbins RJ, Francis A, Kuchenbauer F, Sanford D. Management of acute myeloid leukemia: a review for general practitioners in oncology. *Current Oncology*. 2022 Aug 30;29(9):6245-59.

Todd WM. Acute myeloid leukemia and related conditions. *Hematology/Oncology Clinics*. 2002 Apr 1;16(2):301-19.

Vakiti A, Reynolds SB, Mewawalla P. Acute myeloid leukemia. In: *StatPearls* 2024 Apr 27. StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK507875/> [Accessed Jul 2024]

Wong HM. Oral complications and management strategies for patients undergoing cancer therapy. *The Scientific World Journal*. 2014;2014(1):581795.

## Need support?

You are not alone. We're here for you whether you have a diagnosis yourself or know someone who has. If you'd like advice, support, or a listening ear, call our freephone helpline on 08088 010 444 or send a WhatsApp message to 07500 068 065.

[Helpline and WhatsApp →](#)

---

## Help us improve our information

We aim to provide information that's reliable, up-to-date, and covers what matters to you. Please complete our short survey to help us improve our information and make sure it meets your needs.

[Complete our short survey →](#)

## About our information

This information is aimed at people in the UK. We do our best to make sure it is accurate and up to date but it should not replace advice from your health professional. Find out more [about our information](#).

---

Page last reviewed: 31 December 2024  
Updated January 2026  
Next review due: 31 December 2027

